



**Battery Strapping Tool
13 mm - 16 mm PP & PET strap**



OMS20

OMS20 is one of the most well-known **battery strapping tool** for plastic strap.

Reliable, efficient and effective, OMS20 is a **medium-low tension strapping tool** suitable for **13 mm and 16 mm**, PP and PET strap, operating in **manual tensioning mode**.

Easy-to-use, even with one hand, **OMS20** finds application in many industries like

paperboard, glass and ceramic, food, fruits and vegetables and many others.

The **Lithium-Ion battery** guarantees a high number of duty cycles per single charge, without any memory effect on the battery.

The **friction weld seal technology** guarantees high seal efficiency, without requiring any seal.



FEATURES

- Manual operating mode
- Easy-to-use
- Strap size change without guide replacement
- Digital control panel

BENEFITS

- Adjustable tension
- Lightweight and one hand operating tool
- Friction weld and high seal efficiency
- Strong and well protected motor housing



TECHNICAL SPECIFICATIONS

Dimensions	300 x 140 x 185 mm
Weight (with battery)	4,2 kg

STRAP

Strap Type	PP and PET strap (smooth/embossed)
Width	13 mm/16 mm
Thickness	0,5 mm ÷ 1,05 mm

POWER SUPPLY

Battery	Li-Ion - 18V - 5Ah
----------------	--------------------

PERFORMANCE

Tension force	600 N - 2200 N
Tensioning speed	12 mt/min
Sealing	friction weld seal
Joint strength	75% of breaking strength (variable according to strap type)

MODEL

CODE	DESCRIPTION
T2099971-18V	OMS20 + 1 battery + 1 battery charger
T2099972-18V	OMS20 + 2 batteries + 1 battery charger
T2099973-18V	OMS20 + 3 batteries + 1 battery charger

DETAILS



www.oms-group.com
info@oms-group.com

